



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:40:05 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 1

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.118	20.000	0.100	-0.100	0.118	0.018
Item 2.1 Distancia	Z	4.427	4.300	0.100	-0.100	0.127	0.027
Item 2.2 Distancia	Z	4.446	4.300	0.100	-0.100	0.146	0.046
Item 2.3 Distancia	Z	4.478	4.300	0.100	-0.100	0.178	0.078
Item 2.4 Distancia	Z	4.477	4.300	0.100	-0.100	0.177	0.077
Item 2.5 Distancia	Z	4.476	4.300	0.100	-0.100	0.176	0.076
Item 2.6 Distancia	Z	4.447	4.300	0.100	-0.100	0.147	0.047
Item 3 Distancia	Z	-18.369	-18.440	0.300	-0.300	-0.071	-
Item 4 Diametro	D	13.954	13.950	0.100	-0.100	0.004	-
Item 5 Diametro	D	10.399	10.600	0.150	-0.150	-0.201	-0.051
Item 6 Diametro	D	10.653	10.700	0.050	-0.050	-0.047	----
Item 7 Perfil	Prof	0.015	0.000	0.100		0.015	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:46:28 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 2

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.104	20.000	0.100	-0.100	0.104	0.004
Item 2.1 Distancia	Z	4.391	4.300	0.100	-0.100	0.091	---
Item 2.2 Distancia	Z	4.471	4.300	0.100	-0.100	0.171	0.071
Item 2.3 Distancia	Z	4.503	4.300	0.100	-0.100	0.203	0.103
Item 2.4 Distancia	Z	4.475	4.300	0.100	-0.100	0.175	0.075
Item 2.5 Distancia	Z	4.454	4.300	0.100	-0.100	0.154	0.054
Item 2.6 Distancia	Z	4.440	4.300	0.100	-0.100	0.140	0.040
Item 3 Distancia	Z	-18.281	-18.440	0.300	-0.300	-0.159	---
Item 4 Diametro	D	13.971	13.950	0.100	-0.100	0.021	-
Item 5 Diametro	D	10.406	10.600	0.150	-0.150	-0.194	-0.044
Item 6 Diametro	D	10.657	10.700	0.050	-0.050	-0.043	----
Item 7 Perfil	Prof	0.027	0.000	0.100		0.027	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:52:36 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 3

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.170	20.000	0.100	-0.100	0.170	0.070
Item 2.1 Distancia	Z	4.424	4.300	0.100	-0.100	0.124	0.024
Item 2.2 Distancia	Z	4.441	4.300	0.100	-0.100	0.141	0.041
Item 2.3 Distancia	Z	4.519	4.300	0.100	-0.100	0.219	0.119
Item 2.4 Distancia	Z	4.506	4.300	0.100	-0.100	0.206	0.106
Item 2.5 Distancia	Z	4.447	4.300	0.100	-0.100	0.147	0.047
Item 2.6 Distancia	Z	4.446	4.300	0.100	-0.100	0.146	0.046
Item 3 Distancia	Z	-18.058	-18.440	0.300	-0.300	-0.382	-0.082
Item 4 Diametro	D	13.957	13.950	0.100	-0.100	0.007	-
Item 5 Diametro	D	10.402	10.600	0.150	-0.150	-0.198	-0.048
Item 6 Diametro	D	10.654	10.700	0.050	-0.050	-0.046	----
Item 7 Perfil	Prof	0.036	0.000	0.100		0.036	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:58:42 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 4

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.171	20.000	0.100	-0.100	0.171	0.071
Item 2.1 Distancia	Z	4.429	4.300	0.100	-0.100	0.129	0.029
Item 2.2 Distancia	Z	4.440	4.300	0.100	-0.100	0.140	0.040
Item 2.3 Distancia	Z	4.527	4.300	0.100	-0.100	0.227	0.127
Item 2.4 Distancia	Z	4.499	4.300	0.100	-0.100	0.199	0.099
Item 2.5 Distancia	Z	4.442	4.300	0.100	-0.100	0.142	0.042
Item 2.6 Distancia	Z	4.448	4.300	0.100	-0.100	0.148	0.048
Item 3 Distancia	Z	-18.069	-18.440	0.300	-0.300	-0.371	-0.071
Item 4 Diametro	D	13.985	13.950	0.100	-0.100	0.035	--
Item 5 Diametro	D	10.423	10.600	0.150	-0.150	-0.177	-0.027
Item 6 Diametro	D	10.666	10.700	0.050	-0.050	-0.034	---
Item 7 Perfil	Prof	0.025	0.000	0.100		0.025	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
12:16:02 pm

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 5

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.219	20.000	0.100	-0.100	0.219	0.119
Item 2.1 Distancia	Z	4.450	4.300	0.100	-0.100	0.150	0.050
Item 2.2 Distancia	Z	4.447	4.300	0.100	-0.100	0.147	0.047
Item 2.3 Distancia	Z	4.491	4.300	0.100	-0.100	0.191	0.091
Item 2.4 Distancia	Z	4.513	4.300	0.100	-0.100	0.213	0.113
Item 2.5 Distancia	Z	4.459	4.300	0.100	-0.100	0.159	0.059
Item 2.6 Distancia	Z	4.430	4.300	0.100	-0.100	0.130	0.030
Item 3 Distancia	Z	-18.350	-18.440	0.300	-0.300	-0.090	--
Item 4 Diametro	D	13.965	13.950	0.100	-0.100	0.015	-
Item 5 Diametro	D	10.398	10.600	0.150	-0.150	-0.202	-0.052
Item 6 Diametro	D	10.645	10.700	0.050	-0.050	-0.055	-0.005
Item 7 Perfil	Prof	0.025	0.000	0.100		0.025	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
1:06:53 pm

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 6

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.224	20.000	0.100	-0.100	0.224	0.124
Item 2.1 Distancia	Z	4.467	4.300	0.100	-0.100	0.167	0.067
Item 2.2 Distancia	Z	4.448	4.300	0.100	-0.100	0.148	0.048
Item 2.3 Distancia	Z	4.480	4.300	0.100	-0.100	0.180	0.080
Item 2.4 Distancia	Z	4.493	4.300	0.100	-0.100	0.193	0.093
Item 2.5 Distancia	Z	4.449	4.300	0.100	-0.100	0.149	0.049
Item 2.6 Distancia	Z	4.427	4.300	0.100	-0.100	0.127	0.027
Item 3 Distancia	Z	-18.368	-18.440	0.300	-0.300	-0.072	-
Item 4 Diametro	D	13.948	13.950	0.100	-0.100	-0.002	-
Item 5 Diametro	D	10.405	10.600	0.150	-0.150	-0.195	-0.045
Item 6 Diametro	D	10.651	10.700	0.050	-0.050	-0.049	----
Item 7 Perfil	Prof	0.024	0.000	0.100		0.024	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
1:13:14 pm

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 7

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.143	20.000	0.100	-0.100	0.143	0.043
Item 2.1 Distancia	Z	4.438	4.300	0.100	-0.100	0.138	0.038
Item 2.2 Distancia	Z	4.455	4.300	0.100	-0.100	0.155	0.055
Item 2.3 Distancia	Z	4.437	4.300	0.100	-0.100	0.137	0.037
Item 2.4 Distancia	Z	4.473	4.300	0.100	-0.100	0.173	0.073
Item 2.5 Distancia	Z	4.474	4.300	0.100	-0.100	0.174	0.074
Item 2.6 Distancia	Z	4.441	4.300	0.100	-0.100	0.141	0.041
Item 3 Distancia	Z	-18.372	-18.440	0.300	-0.300	-0.068	-
Item 4 Diametro	D	13.957	13.950	0.100	-0.100	0.007	-
Item 5 Diametro	D	10.406	10.600	0.150	-0.150	-0.194	-0.044
Item 6 Diametro	D	10.657	10.700	0.050	-0.050	-0.043	----
Item 7 Perfil	Prof	0.020	0.000	0.100		0.020	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
1:19:27 pm

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 8

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.217	20.000	0.100	-0.100	0.217	0.117
Item 2.1 Distancia	Z	4.463	4.300	0.100	-0.100	0.163	0.063
Item 2.2 Distancia	Z	4.450	4.300	0.100	-0.100	0.150	0.050
Item 2.3 Distancia	Z	4.246	4.300	0.100	-0.100	-0.054	---
Item 2.4 Distancia	Z	4.491	4.300	0.100	-0.100	0.191	0.091
Item 2.5 Distancia	Z	4.452	4.300	0.100	-0.100	0.152	0.052
Item 2.6 Distancia	Z	4.429	4.300	0.100	-0.100	0.129	0.029
Item 3 Distancia	Z	-18.363	-18.440	0.300	-0.300	-0.077	--
Item 4 Diametro	D	13.965	13.950	0.100	-0.100	0.015	-
Item 5 Diametro	D	10.410	10.600	0.150	-0.150	-0.190	-0.040
Item 6 Diametro	D	10.659	10.700	0.050	-0.050	-0.041	----
Item 7 Perfil	Prof	0.017	0.000	0.100		0.017	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
1:31:40 pm

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 9

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.171	20.000	0.100	-0.100	0.171	0.071
Item 2.1 Distancia	Z	4.437	4.300	0.100	-0.100	0.137	0.037
Item 2.2 Distancia	Z	4.445	4.300	0.100	-0.100	0.145	0.045
Item 2.3 Distancia	Z	4.531	4.300	0.100	-0.100	0.231	0.131
Item 2.4 Distancia	Z	4.506	4.300	0.100	-0.100	0.206	0.106
Item 2.5 Distancia	Z	4.445	4.300	0.100	-0.100	0.145	0.045
Item 2.6 Distancia	Z	4.442	4.300	0.100	-0.100	0.142	0.042
Item 3 Distancia	Z	-18.060	-18.440	0.300	-0.300	-0.380	-0.080
Item 4 Diametro	D	13.964	13.950	0.100	-0.100	0.014	-
Item 5 Diametro	D	10.432	10.600	0.150	-0.150	-0.168	-0.018
Item 6 Diametro	D	10.663	10.700	0.050	-0.050	-0.037	---
Item 7 Perfil	Prof	0.017	0.000	0.100		0.017	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
1:38:06 pm

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 1 pza 10

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.182	20.000	0.100	-0.100	0.182	0.082
Item 2.1 Distancia	Z	4.445	4.300	0.100	-0.100	0.145	0.045
Item 2.2 Distancia	Z	4.446	4.300	0.100	-0.100	0.146	0.046
Item 2.3 Distancia	Z	4.530	4.300	0.100	-0.100	0.230	0.130
Item 2.4 Distancia	Z	4.502	4.300	0.100	-0.100	0.202	0.102
Item 2.5 Distancia	Z	4.445	4.300	0.100	-0.100	0.145	0.045
Item 2.6 Distancia	Z	4.449	4.300	0.100	-0.100	0.149	0.049
Item 3 Distancia	Z	-18.058	-18.440	0.300	-0.300	-0.382	-0.082
Item 4 Diametro	D	13.962	13.950	0.100	-0.100	0.012	-
Item 5 Diametro	D	10.415	10.600	0.150	-0.150	-0.185	-0.035
Item 6 Diametro	D	10.659	10.700	0.050	-0.050	-0.041	----
Item 7 Perfil	Prof	0.031	0.000	0.100		0.031	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
10:43:48 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 1

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.193	20.000	0.100	-0.100	0.193	0.093
Item 2.1 Distancia	Z	4.443	4.300	0.100	-0.100	0.143	0.043
Item 2.2 Distancia	Z	4.452	4.300	0.100	-0.100	0.152	0.052
Item 2.3 Distancia	Z	4.466	4.300	0.100	-0.100	0.166	0.066
Item 2.4 Distancia	Z	4.493	4.300	0.100	-0.100	0.193	0.093
Item 2.5 Distancia	Z	4.449	4.300	0.100	-0.100	0.149	0.049
Item 2.6 Distancia	Z	4.473	4.300	0.100	-0.100	0.173	0.073
Item 3 Distancia	Z	-18.346	-18.440	0.300	-0.300	-0.094	--
Item 4 Diametro	D	13.953	13.950	0.100	-0.100	0.003	-
Item 5 Diametro	D	10.416	10.600	0.150	-0.150	-0.184	-0.034
Item 6 Diametro	D	10.657	10.700	0.050	-0.050	-0.043	----
Item 7 Perfil	Prof	0.027	0.000	0.100		0.027	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
10:44:12 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 2

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.227	20.000	0.100	-0.100	0.227	0.127
Item 2.1 Distancia	Z	4.384	4.300	0.100	-0.100	0.084	----
Item 2.2 Distancia	Z	4.357	4.300	0.100	-0.100	0.057	---
Item 2.3 Distancia	Z	4.353	4.300	0.100	-0.100	0.053	---
Item 2.4 Distancia	Z	4.422	4.300	0.100	-0.100	0.122	0.022
Item 2.5 Distancia	Z	4.404	4.300	0.100	-0.100	0.104	0.004
Item 2.6 Distancia	Z	4.384	4.300	0.100	-0.100	0.084	----
Item 3 Distancia	Z	-18.319	-18.440	0.300	-0.300	-0.121	--
Item 4 Diametro	D	13.962	13.950	0.100	-0.100	0.012	-
Item 5 Diametro	D	10.418	10.600	0.150	-0.150	-0.182	-0.032
Item 6 Diametro	D	10.665	10.700	0.050	-0.050	-0.035	---
Item 7 Perfil	Prof	0.027	0.000	0.100		0.027	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
10:44:42 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 3

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.208	20.000	0.100	-0.100	0.208	0.108
Item 2.1 Distancia	Z	4.379	4.300	0.100	-0.100	0.079	----
Item 2.2 Distancia	Z	4.364	4.300	0.100	-0.100	0.064	---
Item 2.3 Distancia	Z	4.381	4.300	0.100	-0.100	0.081	----
Item 2.4 Distancia	Z	4.382	4.300	0.100	-0.100	0.082	----
Item 2.5 Distancia	Z	4.398	4.300	0.100	-0.100	0.098	----
Item 2.6 Distancia	Z	4.372	4.300	0.100	-0.100	0.072	---
Item 3 Distancia	Z	-18.355	-18.440	0.300	-0.300	-0.085	--
Item 4 Diametro	D	13.975	13.950	0.100	-0.100	0.025	-
Item 5 Diametro	D	10.418	10.600	0.150	-0.150	-0.182	-0.032
Item 6 Diametro	D	10.669	10.700	0.050	-0.050	-0.031	---
Item 7 Perfil	Prof	0.042	0.000	0.100		0.042	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
10:42:39 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 4

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.218	20.000	0.100	-0.100	0.218	0.118
Item 2.1 Distancia	Z	4.351	4.300	0.100	-0.100	0.051	---
Item 2.2 Distancia	Z	4.379	4.300	0.100	-0.100	0.079	----
Item 2.3 Distancia	Z	4.409	4.300	0.100	-0.100	0.109	0.009
Item 2.4 Distancia	Z	4.395	4.300	0.100	-0.100	0.095	----
Item 2.5 Distancia	Z	4.382	4.300	0.100	-0.100	0.082	----
Item 2.6 Distancia	Z	4.363	4.300	0.100	-0.100	0.063	---
Item 3 Distancia	Z	-18.227	-18.440	0.300	-0.300	-0.213	---
Item 4 Diametro	D	13.970	13.950	0.100	-0.100	0.020	-
Item 5 Diametro	D	10.420	10.600	0.150	-0.150	-0.180	-0.030
Item 6 Diametro	D	10.665	10.700	0.050	-0.050	-0.035	---
Item 7 Perfil	Prof	0.048	0.000	0.100		0.048	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
10:51:30 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 5

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.207	20.000	0.100	-0.100	0.207	0.107
Item 2.1 Distancia	Z	4.398	4.300	0.100	-0.100	0.098	----
Item 2.2 Distancia	Z	4.399	4.300	0.100	-0.100	0.099	----
Item 2.3 Distancia	Z	4.423	4.300	0.100	-0.100	0.123	0.023
Item 2.4 Distancia	Z	4.415	4.300	0.100	-0.100	0.115	0.015
Item 2.5 Distancia	Z	4.362	4.300	0.100	-0.100	0.062	---
Item 2.6 Distancia	Z	4.348	4.300	0.100	-0.100	0.048	--
Item 3 Distancia	Z	-17.870	-18.440	0.300	-0.300	-0.570	-0.270
Item 4 Diametro	D	13.972	13.950	0.100	-0.100	0.022	-
Item 5 Diametro	D	10.423	10.600	0.150	-0.150	-0.177	-0.027
Item 6 Diametro	D	10.667	10.700	0.050	-0.050	-0.033	---
Item 7 Perfil	Prof	0.049	0.000	0.100		0.049	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
10:58:37 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 6

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.104	20.000	0.100	-0.100	0.104	0.004
Item 2.1 Distancia	Z	4.369	4.300	0.100	-0.100	0.069	---
Item 2.2 Distancia	Z	4.374	4.300	0.100	-0.100	0.074	---
Item 2.3 Distancia	Z	4.390	4.300	0.100	-0.100	0.090	----
Item 2.4 Distancia	Z	4.400	4.300	0.100	-0.100	0.100	----
Item 2.5 Distancia	Z	4.377	4.300	0.100	-0.100	0.077	----
Item 2.6 Distancia	Z	4.387	4.300	0.100	-0.100	0.087	----
Item 3 Distancia	Z	-18.199	-18.440	0.300	-0.300	-0.241	----
Item 4 Diametro	D	13.975	13.950	0.100	-0.100	0.025	-
Item 5 Diametro	D	10.423	10.600	0.150	-0.150	-0.177	-0.027
Item 6 Diametro	D	10.676	10.700	0.050	-0.050	-0.024	--
Item 7 Perfil	Prof	0.041	0.000	0.100		0.041	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:06:16 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 7

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.226	20.000	0.100	-0.100	0.226	0.126
Item 2.1 Distancia	Z	4.385	4.300	0.100	-0.100	0.085	----
Item 2.2 Distancia	Z	4.379	4.300	0.100	-0.100	0.079	----
Item 2.3 Distancia	Z	4.331	4.300	0.100	-0.100	0.031	--
Item 2.4 Distancia	Z	4.369	4.300	0.100	-0.100	0.069	--
Item 2.5 Distancia	Z	4.390	4.300	0.100	-0.100	0.090	----
Item 2.6 Distancia	Z	4.395	4.300	0.100	-0.100	0.095	----
Item 3 Distancia	Z	-18.317	-18.440	0.300	-0.300	-0.123	--
Item 4 Diametro	D	13.953	13.950	0.100	-0.100	0.003	-
Item 5 Diametro	D	10.415	10.600	0.150	-0.150	-0.185	-0.035
Item 6 Diametro	D	10.653	10.700	0.050	-0.050	-0.047	----
Item 7 Perfil	Prof	0.020	0.000	0.100		0.020	-



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:12:46 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 8

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.188	20.000	0.100	-0.100	0.188	0.088
Item 2.1 Distancia	Z	4.388	4.300	0.100	-0.100	0.088	----
Item 2.2 Distancia	Z	4.387	4.300	0.100	-0.100	0.087	----
Item 2.3 Distancia	Z	4.424	4.300	0.100	-0.100	0.124	0.024
Item 2.4 Distancia	Z	4.429	4.300	0.100	-0.100	0.129	0.029
Item 2.5 Distancia	Z	4.378	4.300	0.100	-0.100	0.078	----
Item 2.6 Distancia	Z	4.347	4.300	0.100	-0.100	0.047	--
Item 3 Distancia	Z	-17.889	-18.440	0.300	-0.300	-0.551	-0.251
Item 4 Diametro	D	13.985	13.950	0.100	-0.100	0.035	--
Item 5 Diametro	D	10.434	10.600	0.150	-0.150	-0.166	-0.016
Item 6 Diametro	D	10.666	10.700	0.050	-0.050	-0.034	---
Item 7 Perfil	Prof	0.060	0.000	0.100		0.060	---



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:22:05 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 9

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.228	20.000	0.100	-0.100	0.228	0.128
Item 2.1 Distancia	Z	4.402	4.300	0.100	-0.100	0.102	0.002
Item 2.2 Distancia	Z	4.389	4.300	0.100	-0.100	0.089	----
Item 2.3 Distancia	Z	4.417	4.300	0.100	-0.100	0.117	0.017
Item 2.4 Distancia	Z	4.419	4.300	0.100	-0.100	0.119	0.019
Item 2.5 Distancia	Z	4.368	4.300	0.100	-0.100	0.068	---
Item 2.6 Distancia	Z	4.348	4.300	0.100	-0.100	0.048	--
Item 3 Distancia	Z	-17.861	-18.440	0.300	-0.300	-0.579	-0.279
Item 4 Diametro	D	13.968	13.950	0.100	-0.100	0.018	-
Item 5 Diametro	D	10.420	10.600	0.150	-0.150	-0.180	-0.030
Item 6 Diametro	D	10.666	10.700	0.050	-0.050	-0.034	---
Item 7 Perfil	Prof	0.042	0.000	0.100		0.042	--



Plan Name
DWG022826-01

DATE
2025-03-13

OT
LD25-07E-184

Time
11:30:00 am

Part Name
Adjusting Screw

Drawing No.
DWG022826-01

Customer
Sistemas Mecatronicos Intica

Metrologist
GERARDO MOCTEZUMA

Length unit
mm

No. de pieza
Cav 2 pza 10

Name	ID	Actual	Nominal	pos Tol	neg Tol	Diff	<-- -->
Item 1 Diametro	D	20.100	20.000	0.100	-0.100	0.100	----
Item 2.1 Distancia	Z	4.418	4.300	0.100	-0.100	0.118	0.018
Item 2.2 Distancia	Z	4.095	4.300	0.100	-0.100	-0.205	-0.105
Item 2.3 Distancia	Z	3.740	4.300	0.100	-0.100	-0.560	-0.460
Item 2.4 Distancia	Z	4.187	4.300	0.100	-0.100	-0.113	-0.013
Item 2.5 Distancia	Z	4.440	4.300	0.100	-0.100	0.140	0.040
Item 2.6 Distancia	Z	4.174	4.300	0.100	-0.100	-0.126	-0.026
Item 3 Distancia	Z	-17.803	-18.440	0.300	-0.300	-0.637	-0.337
Item 4 Diametro	D	13.965	13.950	0.100	-0.100	0.015	-
Item 5 Diametro	D	10.420	10.600	0.150	-0.150	-0.180	-0.030
Item 6 Diametro	D	10.661	10.700	0.050	-0.050	-0.039	----
Item 7 Perfil	Prof	0.656	0.000	0.100		0.656	0.556