


MEASUREMENT REPORT



Customer: HONDA DE MEXICO
Operator: Felipe Martinez
E-mail: felipe.martinez@mess.com.mx
Workspace: PROGRAMAS HONDA
Project: B-ZYD25C_71501-2-3W0-ZZ00-A000_piezo 1

Part name: B-ZYD25C
Part number: 71501/2-3W0-ZZ00/A000
Drawing : S/R
Device: MESS-P-SESC-003

3D Scene Caption

REF-01					
	Nom	Meas	Dev	Test	
X	2669.900	2669.870	-0.030	○	
Y	-599.900	-599.900	0.000	○	
Z	639.900	639.909	0.009	○	

REF-03					
	Nom	Meas	Dev	Test	
X	2669.900	2669.885	-0.015	○	
Y	600.000	599.971	-0.029	○	
Z	639.900	639.905	0.005	○	

REF-02					
	Nom	Meas	Dev	Test	
X	2979.900	2979.945	0.045	○	
Y	-0.050	-0.020	0.030	○	
Z	544.900	544.886	-0.014	○	

Feature Table

Length Units Millimeters

REF-01

Control	Nom	Meas	Tol	Dev	Test
X	2669.900	2669.870	±0.100	-0.030	Pass
Y	-599.900	-599.900	±0.100	0.000	Pass
Z	639.900	639.909	±0.100	0.009	Pass

REF-02


Control	Nom	Meas	Tol	Dev	Test
X	2979.900	2979.945	±0.100	0.045	Pass
Y	-0.050	-0.020	±0.100	0.030	Pass
Z	544.900	544.886	±0.100	-0.014	Pass

REF-03

Control	Nom	Meas	Tol	Dev	Test
X	2669.900	2669.885	±0.100	-0.015	Pass
Y	600.000	599.971	±0.100	-0.029	Pass
Z	639.900	639.905	±0.100	0.005	Pass

Customer: HONDA DE MEXICO
 Operator: Felipe Martinez
 E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
 Part number: 71501/2-3W0-ZZ00/A000
 Piece: piece 1



Comparison Point Table

Units Millimeters

Name	Control	Nom	Meas	Tol	Dev	Test
FLR-1	Surface Distance		0.104	±0.200	0.104	Pass
	Surface Point X	3580.738	3580.661	±0.200	-0.077	Pass
	Surface Point Y	29.981	29.980	±0.200	-0.001	Pass
	Surface Point Z	350.882	350.952	±0.200	0.070	Pass
FLR-2	Surface Distance		0.003	±0.200	0.003	Pass
	Surface Point X	3580.847	3580.843	±0.200	-0.004	Pass
	Surface Point Y	35.013	35.013	±0.200	0.000	Pass
	Surface Point Z	350.129	350.129	±0.200	0.000	Pass
FLR-3	Surface Distance		-0.042	±0.200	-0.042	Pass
	Surface Point X	3580.803	3580.789	±0.200	-0.014	Pass
	Surface Point Y	29.992	29.992	±0.200	0.000	Pass
	Surface Point Z	350.710	350.670	±0.200	-0.040	Pass
FLR-4	Surface Distance		-0.082	±0.200	-0.082	Pass
	Surface Point X	3577.847	3577.818	±0.200	-0.029	Pass
	Surface Point Y	27.923	27.923	±0.200	0.000	Pass
	Surface Point Z	351.373	351.296	±0.200	-0.077	Pass
FLR-5	Surface Distance		0.175	±0.200	0.175	Pass
	Surface Point X	3579.620	3579.674	±0.200	0.054	Pass
	Surface Point Y	-99.995	-100.009	±0.200	-0.014	Pass

Customer: HONDA DE MEXICO
 Operator: Felipe Martinez
 E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
 Part number: 71501/2-3W0-ZZ00/A000
 Piece: piece 1

 FLR-6	Surface Point Z	350.871	350.705	±0.200	-0.166	Pass
	Surface Distance		0.172	±0.200	0.172	Pass
	Surface Point X	3579.525	3579.684	±0.200	0.159	Pass
	Surface Point Y	-102.972	-102.976	±0.200	-0.004	Pass
	Surface Point Z	353.863	353.799	±0.200	-0.064	Pass
 FLR-7	Surface Distance		-0.200	±0.200	-0.200	Pass
	Surface Point X	3579.602	3579.581	±0.200	-0.021	Pass
	Surface Point Y	-100.045	-100.028	±0.200	0.017	Pass
	Surface Point Z	350.463	350.662	±0.200	0.199	Pass
 FLR-8	Surface Distance		0.113	±0.200	0.113	Pass
	Surface Point X	3579.695	3579.808	±0.200	0.113	Pass
	Surface Point Y	-97.768	-97.769	±0.200	-0.001	Pass
	Surface Point Z	351.760	351.757	±0.200	-0.003	Pass
 FLR-9	Surface Distance		-0.030	±0.200	-0.030	Pass
	Surface Point X	3549.203	3549.189	±0.200	-0.014	Pass
	Surface Point Y	-500.004	-499.999	±0.200	0.005	Pass
	Surface Point Z	347.347	347.373	±0.200	0.026	Pass
 FLR-10	Surface Distance		0.162	±0.200	0.162	Pass
	Surface Point X	3546.394	3546.381	±0.200	-0.013	Pass
	Surface Point Y	-500.295	-500.290	±0.200	0.005	Pass
	Surface Point Z	347.299	347.138	±0.200	-0.161	Pass
 FLR-11	Surface Distance		0.022	±0.200	0.022	Pass
	Surface Point X	3548.820	3548.831	±0.200	0.011	Pass
	Surface Point Y	-499.940	-499.944	±0.200	-0.004	Pass
	Surface Point Z	347.133	347.114	±0.200	-0.019	Pass
 FLR-12	Surface Distance		0.152	±0.200	0.152	Pass
	Surface Point X	3547.462	3547.449	±0.200	-0.013	Pass
	Surface Point Y	-497.880	-497.875	±0.200	0.005	Pass
	Surface Point Z	347.308	347.156	±0.200	-0.152	Pass
 FLR-13	Surface Distance		0.184	±0.200	0.184	Pass
	Surface Point X	3516.132	3516.298	±0.200	0.166	Pass
	Surface Point Y	-603.867	-603.943	±0.200	-0.076	Pass
	Surface Point Z	400.134	400.109	±0.200	-0.025	Pass
 FLR-14	Surface Distance		0.117	±0.200	0.117	Pass
	Surface Point X	3516.996	3517.109	±0.200	0.113	Pass
	Surface Point Y	-600.038	-600.064	±0.200	-0.026	Pass
	Surface Point Z	397.583	397.598	±0.200	0.015	Pass
 FLR-15	Surface Distance		0.002	±0.200	0.002	Pass
	Surface Point X	3515.791	3515.791	±0.200	0.000	Pass
	Surface Point Y	-604.170	-604.171	±0.200	-0.001	Pass
	Surface Point Z	400.054	400.054	±0.200	0.000	Pass
 FLR-16	Surface Distance		0.172	±0.200	0.172	Pass
	Surface Point X	3516.733	3516.898	±0.200	0.165	Pass
	Surface Point Y	-601.092	-601.132	±0.200	-0.040	Pass
	Surface Point Z	397.283	397.260	±0.200	-0.023	Pass

Customer: HONDA DE MEXICO


Operator: Felipe Martinez

E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C

Part number: 71501/2-3W0-ZZ00/A000

Piece: piece 1



Comparison Point Table

Units Millimeters

Name	Control	Nom	Meas	Tol	Dev	Test
FLR-17	Surface Distance		0.011	±0.200	0.011	Pass
	Surface Point X	3458.686	3458.677	±0.200	-0.009	Pass
	Surface Point Y	-644.263	-644.258	±0.200	0.005	Pass
	Surface Point Z	600.104	600.104	±0.200	0.000	Pass
FLR-18	Surface Distance		-0.125	±0.200	-0.125	Pass
	Surface Point X	3509.635	3509.737	±0.200	0.102	Pass
	Surface Point Y	-611.734	-611.759	±0.200	-0.025	Pass
	Surface Point Z	447.104	447.172	±0.200	0.068	Pass
FLR-19	Surface Distance		-0.193	±0.200	-0.193	Pass
	Surface Point X	3509.635	3509.808	±0.200	0.173	Pass
	Surface Point Y	-611.734	-611.781	±0.200	-0.047	Pass
	Surface Point Z	447.403	447.474	±0.200	0.071	Pass
FLR-20	Surface Distance		-0.106	±0.200	-0.106	Pass
	Surface Point X	3458.120	3458.163	±0.200	0.043	Pass
	Surface Point Y	-644.552	-644.647	±0.200	-0.095	Pass
	Surface Point Z	599.952	599.937	±0.200	-0.015	Pass
FLR-21	Surface Distance		-0.176	±0.200	-0.176	Pass
	Surface Point X	3465.950	3465.926	±0.200	-0.024	Pass
	Surface Point Y	-631.015	-631.184	±0.200	-0.169	Pass

Customer: HONDA DE MEXICO
 Operator: Felipe Martinez
 E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
 Part number: 71501/2-3W0-ZZ00/A000
 Piece: piece 1

 FLR-22	Surface Point Z	532.115	532.155	±0.200	0.040	Pass
	Surface Distance		-0.007	±0.200	-0.007	Pass
	Surface Point X	3433.132	3433.139	±0.200	0.007	Pass
	Surface Point Y	-669.905	-669.908	±0.200	-0.003	Pass
	Surface Point Z	640.660	640.660	±0.200	0.000	Pass
 FLR-23	Surface Distance		-0.109	±0.200	-0.109	Pass
	Surface Point X	3470.987	3471.089	±0.200	0.102	Pass
	Surface Point Y	-632.865	-632.894	±0.200	-0.029	Pass
	Surface Point Z	547.661	547.685	±0.200	0.024	Pass
 FLR-24	Surface Distance		-0.094	±0.200	-0.094	Pass
	Surface Point X	3432.834	3432.873	±0.200	0.039	Pass
	Surface Point Y	-669.796	-669.800	±0.200	-0.004	Pass
	Surface Point Z	640.264	640.179	±0.200	-0.085	Pass
 FLR-25	Surface Distance		-0.080	±0.200	-0.080	Pass
	Surface Point X	3461.923	3461.912	±0.200	-0.011	Pass
	Surface Point Y	-636.792	-636.871	±0.200	-0.079	Pass
	Surface Point Z	560.002	559.993	±0.200	-0.009	Pass
 FLR-26	Surface Distance		-0.082	±0.200	-0.082	Pass
	Surface Point X	3200.208	3200.219	±0.200	0.011	Pass
	Surface Point Y	-833.592	-833.673	±0.200	-0.081	Pass
	Surface Point Z	692.469	692.464	±0.200	-0.005	Pass
 FLR-27	Surface Distance		-0.058	±0.200	-0.058	Pass
	Surface Point X	3459.885	3459.940	±0.200	0.055	Pass
	Surface Point Y	-642.607	-642.624	±0.200	-0.017	Pass
	Surface Point Z	594.277	594.284	±0.200	0.007	Pass
 FLR-28	Surface Distance		-0.097	±0.200	-0.097	Pass
	Surface Point X	3199.990	3199.983	±0.200	-0.007	Pass
	Surface Point Y	-833.221	-833.309	±0.200	-0.088	Pass
	Surface Point Z	692.203	692.165	±0.200	-0.038	Pass
 FLR-29	Surface Distance		-0.144	±0.200	-0.144	Pass
	Surface Point X	3202.122	3202.151	±0.200	0.029	Pass
	Surface Point Y	-833.156	-833.297	±0.200	-0.141	Pass
	Surface Point Z	693.371	693.370	±0.200	-0.001	Pass
 FLR-30	Surface Distance		0.016	±0.200	0.016	Pass
	Surface Point X	3141.850	3141.859	±0.200	0.009	Pass
	Surface Point Y	-848.006	-848.019	±0.200	-0.013	Pass
	Surface Point Z	700.315	700.314	±0.200	-0.001	Pass
 FLR-31	Surface Distance		-0.140	±0.200	-0.140	Pass
	Surface Point X	3172.515	3172.536	±0.200	0.021	Pass
	Surface Point Y	-838.382	-838.521	±0.200	-0.139	Pass
	Surface Point Z	711.439	711.439	±0.200	0.000	Pass
 FLR-32	Surface Distance		0.050	±0.200	0.050	Pass
	Surface Point X	3142.040	3142.075	±0.200	0.035	Pass
	Surface Point Y	-847.580	-847.600	±0.200	-0.020	Pass
	Surface Point Z	700.008	699.979	±0.200	-0.029	Pass
 FLR-33	Surface Distance		-0.140	±0.200	-0.140	Pass

Customer: HONDA DE MEXICO

Operator: Felipe Martinez

E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C

Part number: 71501/2-3W0-ZZ00/A000


Piece: piece 1

		3172.512	3172.533	±0.200	0.021	Pass
	Surface Point Y	-838.383	-838.521	±0.200	-0.138	Pass
	Surface Point Z	711.443	711.443	±0.200	0.000	Pass
 FLR-34	Surface Distance		0.053	±0.200	0.053	Pass
	Surface Point X	2991.885	2991.914	±0.200	0.029	Pass
	Surface Point Y	-903.299	-903.344	±0.200	-0.045	Pass
	Surface Point Z	521.725	521.724	±0.200	-0.001	Pass
 FLR-35	Surface Distance		0.104	±0.200	0.104	Pass
	Surface Point X	3008.704	3008.726	±0.200	0.022	Pass
	Surface Point Y	-896.432	-896.533	±0.200	-0.101	Pass
	Surface Point Z	548.096	548.109	±0.200	0.013	Pass
 FLR-36	Surface Distance		0.107	±0.200	0.107	Pass
	Surface Point X	2992.114	2992.195	±0.200	0.081	Pass
	Surface Point Y	-903.006	-903.036	±0.200	-0.030	Pass
	Surface Point Z	521.484	521.421	±0.200	-0.063	Pass
 FLR-37	Surface Distance		0.100	±0.200	0.100	Pass
	Surface Point X	3008.535	3008.556	±0.200	0.021	Pass
	Surface Point Y	-896.409	-896.506	±0.200	-0.097	Pass
	Surface Point Z	548.587	548.599	±0.200	0.012	Pass

Customer: HONDA DE MEXICO
Operator: Felipe Martinez
E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
Part number: 71501/2-3W0-ZZ00/A000
Piece: piece 1

3D Scene Caption



Comparison Point Table

Units Millimeters

Name	Control	Nom	Meas	Tol	Dev	Test	Out Tol
FLR-38	Surface Distance		-0.179	±0.200	-0.179	Pass	
	Surface Point X	3579.494	3579.512	±0.200	0.018	Pass	
	Surface Point Y	99.996	99.995	±0.200	-0.001	Pass	
	Surface Point Z	350.925	350.747	±0.200	-0.178	Pass	
FLR-39	Surface Distance		-0.071	±0.200	-0.071	Pass	
	Surface Point X	3579.456	3579.524	±0.200	0.068	Pass	
	Surface Point Y	101.448	101.470	±0.200	0.022	Pass	
	Surface Point Z	353.187	353.187	±0.200	0.000	Pass	
FLR-40	Surface Distance		-0.101	±0.200	-0.101	Pass	
	Surface Point X	3579.451	3579.414	±0.200	-0.037	Pass	
	Surface Point Y	100.004	100.003	±0.200	-0.001	Pass	
	Surface Point Z	350.404	350.311	±0.200	-0.093	Pass	
FLR-41	Surface Distance		-0.115	±0.200	-0.115	Pass	
	Surface Point X	3576.364	3576.354	±0.200	-0.010	Pass	
	Surface Point Y	100.391	100.390	±0.200	-0.001	Pass	
	Surface Point Z	351.049	350.934	±0.200	-0.115	Pass	
FLR-42	Surface Distance		-0.145	±0.200	-0.145	Pass	
	Surface Point X	3549.062	3549.125	±0.200	0.063	Pass	
	Surface Point Y	500.040	500.038	±0.200	-0.002	Pass	

Customer: HONDA DE MEXICO
 Operator: Felipe Martinez
 E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
 Part number: 71501/2-3W0-ZZ00/A000
 Piece: piece 1

 FLR-43	Surface Point Z	347.377	347.247	±0.200	-0.130	Pass
	Surface Distance		-0.176	±0.200	-0.176	Pass
	Surface Point X	3570.244	3570.400	±0.200	0.156	Pass
	Surface Point Y	302.041	302.052	±0.200	0.011	Pass
	Surface Point Z	354.159	354.080	±0.200	-0.079	Pass
 FLR-44	Surface Distance		0.051	±0.200	0.051	Pass
	Surface Point X	3548.827	3548.827	±0.200	0.000	Pass
	Surface Point Y	500.018	500.018	±0.200	0.000	Pass
	Surface Point Z	347.052	347.103	±0.200	0.051	Pass
	Surface Distance		-0.127	±0.200	-0.127	Pass
 FLR-45	Surface Point X	3567.495	3567.483	±0.200	-0.012	Pass
	Surface Point Y	299.427	299.425	±0.200	-0.002	Pass
	Surface Point Z	350.307	350.180	±0.200	-0.127	Pass
	Surface Distance		-0.139	±0.200	-0.139	Pass
	Surface Point X	3516.185	3516.261	±0.200	0.076	Pass
 FLR-46	Surface Point Y	603.778	603.893	±0.200	0.115	Pass
	Surface Point Z	400.141	400.120	±0.200	-0.021	Pass
	Surface Distance		-0.079	±0.200	-0.079	Pass
	Surface Point X	3560.144	3560.137	±0.200	-0.007	Pass
	Surface Point Y	378.426	378.424	±0.200	-0.002	Pass
 FLR-47	Surface Point Z	349.625	349.546	±0.200	-0.079	Pass
	Surface Distance		-0.058	±0.200	-0.058	Pass
	Surface Point X	3515.787	3515.787	±0.200	0.000	Pass
	Surface Point Y	603.940	603.996	±0.200	0.056	Pass
	Surface Point Z	400.099	400.085	±0.200	-0.014	Pass
 FLR-48	Surface Distance		-0.060	±0.200	-0.060	Pass
	Surface Point X	3564.227	3564.283	±0.200	0.056	Pass
	Surface Point Y	374.458	374.467	±0.200	0.009	Pass
	Surface Point Z	357.600	357.618	±0.200	0.018	Pass
	Surface Distance		-0.107	±0.200	-0.107	Pass
 FLR-49	Surface Point X	3458.461	3458.527	±0.200	0.066	Pass
	Surface Point Y	644.072	644.156	±0.200	0.084	Pass
	Surface Point Z	600.122	600.130	±0.200	0.008	Pass
	Surface Distance		0.046	±0.200	0.046	Pass
	Surface Point X	3457.049	3457.055	±0.200	0.006	Pass
 FLR-50	Surface Point Y	643.441	643.397	±0.200	-0.044	Pass
	Surface Point Z	595.946	595.955	±0.200	0.009	Pass
	Surface Distance		-0.007	±0.200	-0.007	Pass
	Surface Point X	3458.039	3458.040	±0.200	0.001	Pass
	Surface Point Y	644.256	644.263	±0.200	0.007	Pass
 FLR-51	Surface Point Z	599.992	599.991	±0.200	-0.001	Pass
	Surface Distance		0.059	±0.200	0.059	Pass
	Surface Point X	3451.850	3451.858	±0.200	0.008	Pass
	Surface Point Y	647.625	647.567	±0.200	-0.058	Pass
	Surface Point Z	621.622	621.633	±0.200	0.011	Pass
 FLR-52	Surface Distance		0.092	±0.200	0.092	Pass

Customer: HONDA DE MEXICO

Operator: Felipe Martinez

E-mail: felipe.martinez@mess.com.mx


Part name: B-ZYD25C

Part number: 71501/2-3W0-ZZ00/A000

Piece: piece 1

		3433.303	3433.234	±0.200	-0.069	Pass	
	Surface Point Y	669.982	669.950	±0.200	-0.032	Pass	
	Surface Point Z	640.650	640.701	±0.200	0.051	Pass	
 FLR-55	Surface Distance		-0.047	±0.200	-0.047	Pass	
	Surface Point X	3432.111	3432.149	±0.200	0.038	Pass	
	Surface Point Y	672.629	672.658	±0.200	0.029	Pass	
	Surface Point Z	644.463	644.463	±0.200	0.000	Pass	
 FLR-56	Surface Distance		0.176	±0.200	0.176	Pass	
	Surface Point X	3432.842	3432.843	±0.200	0.001	Pass	
	Surface Point Y	669.799	669.794	±0.200	-0.005	Pass	
	Surface Point Z	640.192	640.368	±0.200	0.176	Pass	

Customer:	HONDA DE MEXICO	Part name:	B-ZYD25C
Operator:	Felipe Martinez	Part number:	71501/2-3W0-ZZ00/A000
E-mail:	felipe.martinez@mess.com.mx	Piece:	piece 1



Comparison Point Table

Units Millimeters

Name	Control	Nom	Meas	Tol	Dev	Test
FLR-57	Surface Distance		0.176	±0.200	0.176	Pass
	Surface Point X	3429.174	3429.184	±0.200	0.010	Pass
	Surface Point Y	664.998	664.992	±0.200	-0.006	Pass
	Surface Point Z	640.231	640.406	±0.200	0.175	Pass
FLR-58	Surface Distance		0.116	±0.200	0.116	Pass
	Surface Point X	3200.251	3200.274	±0.200	0.023	Pass
	Surface Point Y	833.840	833.739	±0.200	-0.101	Pass
	Surface Point Z	692.469	692.521	±0.200	0.052	Pass
FLR-59	Surface Distance		0.121	±0.200	0.121	Pass
	Surface Point X	3351.910	3351.923	±0.200	0.013	Pass
	Surface Point Y	774.862	774.856	±0.200	-0.006	Pass
	Surface Point Z	652.218	652.338	±0.200	0.120	Pass
FLR-60	Surface Distance		0.003	±0.200	0.003	Pass
	Surface Point X	3199.930	3199.932	±0.200	0.002	Pass
	Surface Point Y	833.250	833.249	±0.200	-0.001	Pass
	Surface Point Z	692.075	692.077	±0.200	0.002	Pass
FLR-61	Surface Distance		-0.001	±0.200	-0.001	Pass
	Surface Point X	3354.561	3354.562	±0.200	0.001	Pass
	Surface Point Y	775.577	775.578	±0.200	0.001	Pass


Customer: HONDA DE MEXICO
 Operator: Felipe Martinez
 E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
 Part number: 71501/2-3W0-ZZ00/A000
 Piece: piece 1

 FLR-62	Surface Point Z	657.701	657.701	±0.200	0.000	Pass
	Surface Distance		0.176	±0.200	0.176	Pass
	Surface Point X	3141.898	3141.850	±0.200	-0.048	Pass
	Surface Point Y	848.142	847.978	±0.200	-0.164	Pass
	Surface Point Z	700.318	700.360	±0.200	0.042	Pass
 FLR-63	Surface Distance		0.148	±0.200	0.148	Pass
	Surface Point X	3259.065	3259.021	±0.200	-0.044	Pass
	Surface Point Y	818.844	818.703	±0.200	-0.141	Pass
	Surface Point Z	673.319	673.318	±0.200	-0.001	Pass
 FLR-64	Surface Distance		-0.194	±0.200	-0.194	Pass
	Surface Point X	3141.960	3142.120	±0.200	0.160	Pass
	Surface Point Y	847.565	847.596	±0.200	0.031	Pass
	Surface Point Z	700.082	699.975	±0.200	-0.107	Pass
 FLR-65	Surface Distance		-0.051	±0.200	-0.051	Pass
	Surface Point X	3147.244	3147.292	±0.200	0.048	Pass
	Surface Point Y	839.891	839.894	±0.200	0.003	Pass
	Surface Point Z	705.939	705.921	±0.200	-0.018	Pass
 FLR-66	Surface Distance		0.121	±0.200	0.121	Pass
	Surface Point X	2991.963	2991.928	±0.200	-0.035	Pass
	Surface Point Y	903.676	903.561	±0.200	-0.115	Pass
	Surface Point Z	521.769	521.756	±0.200	-0.013	Pass
 FLR-67	Surface Distance		-0.127	±0.200	-0.127	Pass
	Surface Point X	3066.189	3066.278	±0.200	0.089	Pass
	Surface Point Y	871.416	871.425	±0.200	0.009	Pass
	Surface Point Z	609.394	609.304	±0.200	-0.090	Pass
 FLR-68	Surface Distance		-0.132	±0.200	-0.132	Pass
	Surface Point X	2992.064	2992.140	±0.200	0.076	Pass
	Surface Point Y	903.021	903.112	±0.200	0.091	Pass
	Surface Point Z	521.536	521.478	±0.200	-0.058	Pass
 FLR-69	Surface Distance		-0.154	±0.200	-0.154	Pass
	Surface Point X	2977.977	2978.103	±0.200	0.126	Pass
	Surface Point Y	907.613	907.698	±0.200	0.085	Pass
	Surface Point Z	504.688	504.667	±0.200	-0.021	Pass

Customer: HONDA DE MEXICO
Operator: Felipe Martinez
E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
Part number: 71501/2-3W0-ZZ00/A000
Piece: piece 1



Comparison Point Table

Units Millimeters

Name	Control	Nom	Meas	Tol	Dev	Test
FLR-70	Surface Distance		0.061	±0.200	0.061	Pass
	Surface Point X	3526.510	3526.510	±0.200	0.000	Pass
	Surface Point Y	-147.770	-147.770	±0.200	0.000	Pass
	Surface Point Z	366.032	366.093	±0.200	0.061	Pass
FLR-71	Surface Distance		0.074	±0.200	0.074	Pass
	Surface Point X	3517.600	3517.601	±0.200	0.001	Pass
	Surface Point Y	-145.351	-145.350	±0.200	0.001	Pass
	Surface Point Z	366.024	366.098	±0.200	0.074	Pass
FLR-72	Surface Distance		0.120	±0.200	0.120	Pass
	Surface Point X	3517.650	3517.649	±0.200	-0.001	Pass
	Surface Point Y	-272.460	-272.461	±0.200	-0.001	Pass
	Surface Point Z	365.992	366.112	±0.200	0.120	Pass
FLR-73	Surface Distance		0.052	±0.200	0.052	Pass
	Surface Point X	3470.542	3470.541	±0.200	-0.001	Pass
	Surface Point Y	-143.730	-143.730	±0.200	0.000	Pass
	Surface Point Z	366.055	366.107	±0.200	0.052	Pass

Customer: HONDA DE MEXICO
 Operator: Felipe Martinez
 E-mail: felipe.martinez@mess.com.mx

Part name: B-ZYD25C
 Part number: 71501/2-3W0-ZZ00/A000
 Piece: piece 1